

<u>LEGEND</u>

EXISTING PROPERTY LINE EXISTING CONTOUR

PROPOSED SILT FENCE


BUILDING SETBACK REQUIREMENTS

COPIES OF THIS DOCUMENT WITHOUT AN ACTUAL OR FACSIMILE OF THE ENGINEER'S SIGNATURE AND AN ORIGINAL STAMP OR EMBOSSED SEAL SHALL BE CONSIDERED INVALID.

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DOCUMENT BEARING THE SEAL OF A LICENSED PROFESSIONAL ENGINEER IS A VIOLATION OF SECTION 7209 SUBSECTION 2 OF THE NEW YORK STATE

EDUCATION LAW.

BRIAN FRIEDLER, P.E. NEW YORK LICENSE # 105494



10/21/25 VILLAGE OF WARWICK PLANNING BOARD REVIEW DATE DESCRIPTION

# PROPOSED CONDITIONS

### RUTHERFORD PROPERTY

SECTION 218 BLOCK 1 LOT VILLAGE OF WARWICK ORANGE COUNTY, NEW YORK

### FRIEDLER ENGINEERING, PLLC

PH. 845.544.5662

30 WARWICK LAKE PKWY WARWICK, NEW YORK 10990 FRIEDLERENGINEERING@OUTLOOK.COM

DRAWN BY CHECKED BY SCALE JOB NO. SHEET NO. AS SHOWN | FE-25159 | 2 OF 3

#### SANITARY SEWER NOTES:

1. CONTRACTOR TO VERIFY LOCATION, LENGTHS, INVERTS, FEATURES AND CONDITIONS OF ALL SANITARY MANHOLES, PIPELINES, ETC AND SHALL IMMEDIATELY NOTIFY THE DESIGN ENGINEER AND APPLICANT OF ANY DISCREPANCIES.

2. ALL SANITARY SEWER LATERALS, MATERIAL AND PROCEDURES OF CONSTRUCTION WILL BE IN ACCORDANCE WITH ALL THE REQUIREMENTS OF THE VILLAGE OF WARWICK SEWER DEPARTMENT. NO INSTALLATION OF PIPE LINES OR RELATED EQUIPMENT SHALL BE INSTALLED WITHOUT PRIOR WRITTEN APPROVAL OF THE VILLAGE OF WARWICK.

3. ALL PIPES SHALL BE INSTALLED IN CONFORMANCE WIT THE PLANS AND FIELD CONDITIONS. ALL NEW SEWER PIPES SHALL BE A MINIMUM 6" SDR-35 PVC PIPE OR APPROVED EQUAL.

4. ALL TESTING SHALL BE ACCORDING TO THE VILLAGE OF WARWICK SEWER DEPARTMENT REQUIREMENTS.

#### WATER SERVICE NOTES:

1. CONTRACTOR TO VERIFY LOCATION, LENGTHS, INVERTS, FEATURES AND CONDITIONS OF ALL SANITARY MANHOLES, PIPELINES, ETC AND SHALL IMMEDIATELY NOTIFY THE DESIGN ENGINEER AND APPLICANT OF ANY DISCREPANCIES.

2. ALL WATER MAIN LATERALS, MATERIAL AND PROCEDURES OF CONSTRUCTION WILL BE IN ACCORDANCE WITH ALL THE REQUIREMENTS OF THE VILLAGE OF WARWICK WATER DEPARTMENT. NO INSTALLATION OF PIPE LINES OR RELATED EQUIPMENT SHALL BE INSTALLED WITHOUT PRIOR WRITTEN APPROVAL OF THE VILLAGE OF WARWICK.

3. ALL PIPES SHALL BE INSTALLED WITH A MINIMUM 4'-6" OF COVER. PIPES SHALL BE DUCTILE IRON PIPE OR APPROVED EQUAL

4. INSTALLATION AND PROCEDURES FOR COPPER WATER SERVICE PIPE WILL CONFORM WITH THE AMERICAN WATER WORKS ASSOCIATION.


5. ALL TRENCHES SHALL BE BACKFILLED ACCORDING TO THE PROVIDED DETAIL.


6. ALL BENDS AND TEES INSTALLATIONS SHALL BE SUITABLY RESTRAINED BY THE USE OF ADEQUATE THRUST BLOCKS, RODDING, RETAINER RINGS AND/OR THE USE OF SPECIAL GASKETS.

7. ALL TESTING AND DISINFECTION SHALL BE IN ACCORDANCE TO THE VILLAGE OF WARWICK WATER DEPARTMENT OR ORANGE COUNTY DEPARTMENT OF HEALTH.

8. PROPOSED WATER SERVICE LINE TO BE 4" DUCTILE IRON PIPE OR APPROVED EQUAL.


9. 4" WATER SERVICE LINE SHALL HAVE A SPUR FOR DOMESTIC WATER WITH A BACKFLOW PREVENT. ALSO A BACKFLOW PREVENTER FOR THE FIRE SUPPRESSION SYSTEM.





4. WATER SERVICE LINES TO BE INSTALL WITH A MINIMUM 4'-6" OF COVER.

5. WATER SERVICE LINE SHALL BE 4" DUCTILE IRON PIPE OR APPROVED EQUAL.



1. FINISH TO BE BROOM FINISH AT 90° TO EACH SUCEEDING SLAB.


2. JOINTER TO BE 1" DEEP. JOINT SPACING SHALL BE EQUAL TO WIDTH OF WALK FOR SPACING.

3. INSTALL 1/2" PRE-MOLDED EXPANSION JOINT AT 24' O.C. AND WHERE


SIDEWALK IS AGAIST CONCRETE CURBS, BUILDINGS, AND OTHER STRUCTURES.

CONCRETE SIDEWALK DETAIL


N.T.S



5-FT H X 8-FT W EARTH TONE COLOR VINYL SOLID FENCE



- ALL WHITE STRIPING TO BE 6" WIDE REGULAR REGULAR PARKING PARKING SPACE SPACE



#### SEWER SERVICE CONNECTION N.T.S.

SEWER SERVICE CONNECTION DETAIL N.T.S.


#### SOIL EROSION CONTROL NOTES

PARKING SPACE DETAILS

- 1. SILT FENCE BARRIERS SHALL BE INSTALLED PRIOR TO CONSTRUCTION.
- 2. DISTURBANCE TO BE LIMITED TO THE MINIMUM NECESSARY FOR THE GRADING AND CONSTRUCTION OF THE PROPOSED IMPROVEMENTS.
- 3. TEMPORARY SEEDING WITH ANNUAL RYE GRASS OR OTHER RAPID GROWING MIXTURE SHALL BE PERFORMED ON DISTURBED SOIL REMAINING VACANT FOR MORE THAN ONE MONTH AS FOLLOWS:
- a. LOOSEN SEEDED BY DISCING TO 4" DEPTH. b. FERTILIZE AS PER SOIL TEST OR APPLY 5-10-10 FERTILIZER (20 lbs. per 1000 s.f.) c. SEED WITH PERENNIAL RYEGRASS (20 lbs. per 1000 s.f.)
- d. MULCH WITH STRAW MULCH (90 lbs. per 1000 s.f.) 4. ALL DISTURBED AREAS TO BE MULCHED TO PREVENT EROSION. THE CONTRACTOR SHALL COMPLY WITH ALL REQUESTS OF THE TOWN

ENGINEER OR BUILDING INSPECTOR DURING CONSTRUCTION WITH


REGARD TO EROSION CONTROL DEVICES. 5. EROSION CONTROL MEASURES SHALL REMAIN IN PLACE AND BE MAINTAINED



### SILT FENCE DETAIL

NOTES: 1. WHERE TWO SECTIONS OF FILTER CLOTH ADJOIN EACH OTHER, THEY SHALL BE OVERLAPPED BY SIX INCHES AND FOLDED.

- 2. MAINTENANCE SHALL BE PERFORMED AS NEEDED AND MATERIAL REMOVED WHEN "BULGES" DEVELOP IN THE SILT FENCE.
- 3. SILT FENCE FABRIC TO BE MIRAFI 100X OR APPROVED EQUAL.
- 4. WOVEN WIRE FENCE (MIN. 14.5 GAUGE, MAX 6" MESH SPACING)



- 2. TAPPING SLEEVE TO BE CAST IRON. STAINLESS STEEL SLEEVES ARE NOT ACCEPTABLE.
- 3. TAPPING VALVE AND SLEEVE TO BE A MUELLER OR APPROVED EQUAL CONNECTION.

WATER MAIN WET TAP DETAIL

APPROVED FOR FILLING:		COPIES OF THIS DOCUMENT WITHOUT AN ACTUAL OR FACSIMILE OF THE ENGINEER'S SIGNATURE AND AN ORIGINAL STAMP OR EMBOSSED SEAL SHALL BE CONSIDERED INVALID.	*
ER(S)	DATE	UNAUTHORIZED	CENSC

PROFESSIONAL ENGINEER

SECTION 7209 SUBSECTION 2 OF THE NEW YORK STATE

IS A VIOLATION OF

EDUCATION LAW.


APPROVED AS A FINAL SITE PLAN BY A RESOLUTION OF THE PLANNING BOARD OF THE VILLAGE OF WARWICK ON

OWNER(S)

VILLAGE ENGINEER

CHAIRMAN DATE

DATE



BRIAN FRIEDLER, P.E. NEW YORK LICENSE # 105494

10/21/25 VILLAGE OF WARWICK PLANNING BOARD REVIEW DESCRIPTION ISSUE DATE

# DETAILS

RUTHERFORD PROPERTY SECTION 218 BLOCK 1 LOT VILLAGE OF WARWICK

## FRIEDLER ENGINEERING, PLLC

ORANGE COUNTY, NEW YORK

PH. 845.544.5662

30 WARWICK LAKE PKWY WARWICK, NEW YORK 10990 FRIEDLERENGINEERING@OUTLOOK.COM

DRAWN BY CHECKED BY SCALE JOB NO. | SHEET NO. AS SHOWN FE-25159 3 OF 3