


CONSTRUCTION NOTES

1. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE FOLLOWING CODES AND STANDARDS:
 - A. NATIONAL ELECTRICAL CODE (NEC)
 - B. NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) 70
 - C. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 250
 - D. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 310
 - E. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 350
 - F. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 400
 - G. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 450
 - H. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 500
 - I. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 550
 - J. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 600
 - K. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 650
 - L. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 700
 - M. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 750
 - N. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 800
 - O. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 850
 - P. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 900
 - Q. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 950
 - R. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 1000
2. ALL ELECTRICAL WORK SHALL BE DONE IN ACCORDANCE WITH THE FOLLOWING:
 - A. ALL WIRING SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE FOLLOWING CODES AND STANDARDS:
 - 1. NATIONAL ELECTRICAL CODE (NEC)
 - 2. NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) 70
 - 3. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 250
 - 4. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 310
 - 5. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 350
 - 6. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 400
 - 7. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 450
 - 8. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 500
 - 9. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 550
 - 10. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 600
 - 11. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 650
 - 12. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 700
 - 13. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 750
 - 14. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 800
 - 15. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 850
 - 16. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 900
 - 17. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 950
 - 18. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 1000
 - B. ALL ELECTRICAL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE FOLLOWING CODES AND STANDARDS:
 - 1. NATIONAL ELECTRICAL CODE (NEC)
 - 2. NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) 70
 - 3. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 250
 - 4. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 310
 - 5. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 350
 - 6. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 400
 - 7. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 450
 - 8. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 500
 - 9. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 550
 - 10. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 600
 - 11. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 650
 - 12. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 700
 - 13. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 750
 - 14. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 800
 - 15. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 850
 - 16. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 900
 - 17. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 950
 - 18. NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) 1000




① FIRST FLOOR PARTIAL RCP-A
1/8" = 1'-0"

LIGHTING SCHEDULE

SYMBOL	DESCRIPTION	QUANTITY	NOTES
○	1" DIA. RECESSED CIRCLE	100	100' DIA.
○	2" DIA. RECESSED CIRCLE	100	100' DIA.
○	3" DIA. RECESSED CIRCLE	100	100' DIA.
○	4" DIA. RECESSED CIRCLE	100	100' DIA.
○	6" DIA. RECESSED CIRCLE	100	100' DIA.
○	8" DIA. RECESSED CIRCLE	100	100' DIA.
○	10" DIA. RECESSED CIRCLE	100	100' DIA.
○	12" DIA. RECESSED CIRCLE	100	100' DIA.
○	14" DIA. RECESSED CIRCLE	100	100' DIA.
○	16" DIA. RECESSED CIRCLE	100	100' DIA.
○	18" DIA. RECESSED CIRCLE	100	100' DIA.
○	20" DIA. RECESSED CIRCLE	100	100' DIA.
○	22" DIA. RECESSED CIRCLE	100	100' DIA.
○	24" DIA. RECESSED CIRCLE	100	100' DIA.
○	26" DIA. RECESSED CIRCLE	100	100' DIA.
○	28" DIA. RECESSED CIRCLE	100	100' DIA.
○	30" DIA. RECESSED CIRCLE	100	100' DIA.
○	32" DIA. RECESSED CIRCLE	100	100' DIA.
○	34" DIA. RECESSED CIRCLE	100	100' DIA.
○	36" DIA. RECESSED CIRCLE	100	100' DIA.
○	38" DIA. RECESSED CIRCLE	100	100' DIA.
○	40" DIA. RECESSED CIRCLE	100	100' DIA.
○	42" DIA. RECESSED CIRCLE	100	100' DIA.
○	44" DIA. RECESSED CIRCLE	100	100' DIA.
○	46" DIA. RECESSED CIRCLE	100	100' DIA.
○	48" DIA. RECESSED CIRCLE	100	100' DIA.
○	50" DIA. RECESSED CIRCLE	100	100' DIA.
○	52" DIA. RECESSED CIRCLE	100	100' DIA.
○	54" DIA. RECESSED CIRCLE	100	100' DIA.
○	56" DIA. RECESSED CIRCLE	100	100' DIA.
○	58" DIA. RECESSED CIRCLE	100	100' DIA.
○	60" DIA. RECESSED CIRCLE	100	100' DIA.
○	62" DIA. RECESSED CIRCLE	100	100' DIA.
○	64" DIA. RECESSED CIRCLE	100	100' DIA.
○	66" DIA. RECESSED CIRCLE	100	100' DIA.

CONSTRUCTION NOTES

1. CONSULT THE CITY ENGINEER FOR ANY REQUIRED PERMITS AND APPROVALS.
2. ALL WORK SHALL BE IN ACCORDANCE WITH THE CITY OF WARREN, NEW YORK, DEPARTMENT OF PUBLIC WORKS, DIVISION OF ENGINEERING, STANDARD SPECIFICATIONS FOR CONSTRUCTION OF HIGHWAYS AND BRIDGES, LATEST EDITION.
3. ALL MATERIALS SHALL BE OF THE BEST QUALITY AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE CITY ENGINEER.
4. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY ENGINEER'S REQUIREMENTS.
5. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY ENGINEER'S REQUIREMENTS.
6. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY ENGINEER'S REQUIREMENTS.
7. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY ENGINEER'S REQUIREMENTS.
8. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY ENGINEER'S REQUIREMENTS.
9. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY ENGINEER'S REQUIREMENTS.
10. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY ENGINEER'S REQUIREMENTS.



① SECOND FLOOR PARTIAL RCF-A
SCALE = 1/8" = 1'-0"

LIGHTING SCHEDULE	
SYMBOL	DESCRIPTION
○	1. 4' x 4' RECESSED SQUARE DOWNLIGHT
●	2. 4' x 4' RECESSED SQUARE DOWNLIGHT - DIMMABLE
□	3. 4' x 4' RECESSED SQUARE DOWNLIGHT - TRACK LIGHTING
■	4. 4' x 4' RECESSED SQUARE DOWNLIGHT - TRACK LIGHTING - DIMMABLE
◇	5. 4' x 4' RECESSED SQUARE DOWNLIGHT - TRACK LIGHTING - DIMMABLE - WARM WHITE
▽	6. 4' x 4' RECESSED SQUARE DOWNLIGHT - TRACK LIGHTING - DIMMABLE - COOL WHITE
△	7. 4' x 4' RECESSED SQUARE DOWNLIGHT - TRACK LIGHTING - DIMMABLE - WARM WHITE - 2700K
◇	8. 4' x 4' RECESSED SQUARE DOWNLIGHT - TRACK LIGHTING - DIMMABLE - COOL WHITE - 4000K
▽	9. 4' x 4' RECESSED SQUARE DOWNLIGHT - TRACK LIGHTING - DIMMABLE - WARM WHITE - 5000K
△	10. 4' x 4' RECESSED SQUARE DOWNLIGHT - TRACK LIGHTING - DIMMABLE - COOL WHITE - 6000K

CEILING FINISH SCHEDULE	
SYMBOL	DESCRIPTION
○	1. 6' x 6' ACoustIC CEILING TILE
●	2. 6' x 6' ACoustIC CEILING TILE - DIMMABLE
□	3. 6' x 6' ACoustIC CEILING TILE - TRACK LIGHTING
■	4. 6' x 6' ACoustIC CEILING TILE - TRACK LIGHTING - DIMMABLE
◇	5. 6' x 6' ACoustIC CEILING TILE - TRACK LIGHTING - DIMMABLE - WARM WHITE
▽	6. 6' x 6' ACoustIC CEILING TILE - TRACK LIGHTING - DIMMABLE - COOL WHITE
△	7. 6' x 6' ACoustIC CEILING TILE - TRACK LIGHTING - DIMMABLE - WARM WHITE - 2700K
◇	8. 6' x 6' ACoustIC CEILING TILE - TRACK LIGHTING - DIMMABLE - COOL WHITE - 4000K
▽	9. 6' x 6' ACoustIC CEILING TILE - TRACK LIGHTING - DIMMABLE - WARM WHITE - 5000K
△	10. 6' x 6' ACoustIC CEILING TILE - TRACK LIGHTING - DIMMABLE - COOL WHITE - 6000K

REVISIONS	
NO.	DESCRIPTION
1	ISSUED FOR PERMIT
2	REVISIONS
3	REVISIONS
4	REVISIONS
5	REVISIONS
6	REVISIONS
7	REVISIONS
8	REVISIONS
9	REVISIONS
10	REVISIONS

100% PERMIT DOCUMENTS

PROJECT

20 WALLER LANE • AUSTIN, TEXAS 78704
 512.464.1234 | P. 888.888.8888
 WWW.AUGUSTINEARCH.COM
 AUGUSTINEARCH.COM

ARCHITECTS • PLANNERS • INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1
 VILLAGE OF WARREN, NEW YORK

Issued: 2/12/21 Date: 0/0/21
 Drawn: IDEA Scale: AS NOTED
 Drawing Number: A-210

PERMIT DOCUMENTS

PROJECT

20 WALLER LANE • AUSTIN, TEXAS 78704
 512.464.1234 | P. 888.888.8888
 WWW.AUGUSTINEARCH.COM
 AUGUSTINEARCH.COM

ARCHITECTS • PLANNERS • INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1
 VILLAGE OF WARREN, NEW YORK


Issued: 2/12/21 Date: 0/0/21
 Drawn: IDEA Scale: AS NOTED
 Drawing Number: A-210

CONSTRUCTION NOTES

1. SEE ARCHITECT'S GENERAL NOTES FOR MATERIALS, FINISHES, AND CONSTRUCTION DETAILS.
2. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE INTERNATIONAL BUILDING CODE (IBC) AND THE NEW YORK STATE BUILDING CODE.
3. THE OWNER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY INSURANCE COVERAGE AND BONDS.
5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY UTILITIES LOCATIONS AND DEPTHS.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ACCESS AND EGRESS ROUTES.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TRAFFIC CONTROL MEASURES.
8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY NEIGHBOR NOTICES.
9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY HISTORIC PRESERVATION APPROVALS.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ENVIRONMENTAL APPROVALS.
11. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ARCHITECTURAL RECORDS.
12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PHOTOGRAPHS.
13. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SURVEY DATA.
14. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ENGINEERING DATA.
15. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY GEOTECHNICAL DATA.
16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SOIL TESTS.
17. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY FOUNDATION ANALYSIS.
18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY STRUCTURAL ANALYSIS.
19. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MECHANICAL ANALYSIS.
20. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ELECTRICAL ANALYSIS.
21. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PLUMBING ANALYSIS.
22. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY HVAC ANALYSIS.
23. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY FIRE PROTECTION ANALYSIS.
24. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY LIFE SAFETY ANALYSIS.
25. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ACCESSIBILITY ANALYSIS.
26. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ENERGY ANALYSIS.
27. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SUSTAINABILITY ANALYSIS.
28. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY QUALITY ASSURANCE MEASURES.
29. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RISK MANAGEMENT MEASURES.
30. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COMMUNICATION MEASURES.
31. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DOCUMENTATION MEASURES.
32. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPORTING MEASURES.
33. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RECORDING MEASURES.
34. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ARCHIVING MEASURES.
35. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PRESERVATION MEASURES.
36. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RESTORATION MEASURES.
37. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPAIR MEASURES.
38. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPLACEMENT MEASURES.
39. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REMEDIATION MEASURES.
40. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DEMOLITION MEASURES.
41. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DISPOSAL MEASURES.
42. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RECYCLING MEASURES.
43. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REUSE MEASURES.
44. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REDUCTION MEASURES.
45. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PREVENTION MEASURES.
46. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MITIGATION MEASURES.
47. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY AVOIDANCE MEASURES.
48. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MINIMIZATION MEASURES.
49. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY OFFSET MEASURES.
50. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COMPENSATION MEASURES.
51. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RESTORATION MEASURES.
52. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPAIR MEASURES.
53. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPLACEMENT MEASURES.
54. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REMEDIATION MEASURES.
55. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DEMOLITION MEASURES.
56. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DISPOSAL MEASURES.
57. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RECYCLING MEASURES.
58. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REUSE MEASURES.
59. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REDUCTION MEASURES.
60. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PREVENTION MEASURES.
61. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MITIGATION MEASURES.
62. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY AVOIDANCE MEASURES.
63. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MINIMIZATION MEASURES.
64. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY OFFSET MEASURES.
65. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COMPENSATION MEASURES.
66. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RESTORATION MEASURES.
67. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPAIR MEASURES.
68. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPLACEMENT MEASURES.
69. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REMEDIATION MEASURES.
70. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DEMOLITION MEASURES.

CONSTRUCTION NOTES


1. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
2. ALL MATERIALS SHALL BE OF THE HIGHEST QUALITY AND SHALL BE SUBMITTED FOR APPROVAL TO THE DOB AND DEC PRIOR TO INSTALLATION.
3. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE DOB AND DEC.
4. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
5. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE DOB AND DEC.
6. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
7. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE DOB AND DEC.
8. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
9. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE DOB AND DEC.
10. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
11. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE DOB AND DEC.
12. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
13. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE DOB AND DEC.
14. ALL WORK SHALL BE COMPLETED IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
15. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE DOB AND DEC.



ITEM	DESCRIPTION	QUANTITY	UNIT	PRICE	TOTAL
1	BRICKWORK	1000	SQ. YD.	1.50	1500.00
2	CONCRETE	500	CY	120.00	60000.00
3	ROOFING	200	SQ. YD.	2.00	400.00
4	PAINTING	100	SQ. YD.	1.00	100.00
5	LANDSCAPING	50	SQ. YD.	0.50	25.00
6	WATER	100	CU. YD.	1.00	100.00
7	ELECTRICITY	100	CU. YD.	1.00	100.00
8	PLUMBING	100	CU. YD.	1.00	100.00
9	MECHANICAL	100	CU. YD.	1.00	100.00
10	DEMOLITION	100	CU. YD.	1.00	100.00
11	FOUNDATION	100	CU. YD.	1.00	100.00
12	STRUCTURE	100	CU. YD.	1.00	100.00
13	INTERIORS	100	CU. YD.	1.00	100.00
14	EXTERIORS	100	CU. YD.	1.00	100.00
15	FINISHES	100	CU. YD.	1.00	100.00
16	LANDSCAPE	100	CU. YD.	1.00	100.00
17	WATER	100	CU. YD.	1.00	100.00
18	ELECTRICITY	100	CU. YD.	1.00	100.00
19	PLUMBING	100	CU. YD.	1.00	100.00
20	MECHANICAL	100	CU. YD.	1.00	100.00
21	DEMOLITION	100	CU. YD.	1.00	100.00
22	FOUNDATION	100	CU. YD.	1.00	100.00
23	STRUCTURE	100	CU. YD.	1.00	100.00
24	INTERIORS	100	CU. YD.	1.00	100.00
25	EXTERIORS	100	CU. YD.	1.00	100.00
26	FINISHES	100	CU. YD.	1.00	100.00
27	LANDSCAPE	100	CU. YD.	1.00	100.00
28	WATER	100	CU. YD.	1.00	100.00
29	ELECTRICITY	100	CU. YD.	1.00	100.00
30	PLUMBING	100	CU. YD.	1.00	100.00
31	MECHANICAL	100	CU. YD.	1.00	100.00
32	DEMOLITION	100	CU. YD.	1.00	100.00
33	FOUNDATION	100	CU. YD.	1.00	

CONSTRUCTION NOTES

1. SEE ARCHITECT'S NOTES FOR GENERAL NOTES AND SPECIFICATIONS.
2. ALL MATERIALS AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND STANDARDS.
3. ALL MATERIALS SHALL BE OF THE BEST QUALITY AND SHALL BE SUBMITTED FOR APPROVAL TO THE ARCHITECT PRIOR TO INSTALLATION.
4. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND STANDARDS.
5. ALL MATERIALS SHALL BE OF THE BEST QUALITY AND SHALL BE SUBMITTED FOR APPROVAL TO THE ARCHITECT PRIOR TO INSTALLATION.
6. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND STANDARDS.
7. ALL MATERIALS SHALL BE OF THE BEST QUALITY AND SHALL BE SUBMITTED FOR APPROVAL TO THE ARCHITECT PRIOR TO INSTALLATION.
8. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND STANDARDS.
9. ALL MATERIALS SHALL BE OF THE BEST QUALITY AND SHALL BE SUBMITTED FOR APPROVAL TO THE ARCHITECT PRIOR TO INSTALLATION.
10. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND STANDARDS.









ITEM	DESCRIPTION	QUANTITY	UNIT	PRICE	TOTAL
1	BRICKWORK	1000	SQ. YD.	1.50	1500.00
2	CONCRETE	500	CY	120.00	60000.00
3	ROOFING	200	SQ. YD.	8.00	1600.00
4	PAINTING	100	SQ. YD.	10.00	1000.00
5	LANDSCAPING	50	SQ. YD.	20.00	1000.00
6	SEWER	100	LF	10.00	1000.00
7	WATER	100	LF	10.00	1000.00
8	ELECTRICAL	100	LF	10.00	1000.00
9	MECHANICAL	100	LF	10.00	1000.00
10	PLUMBING	100	LF	10.00	1000.00
11	HEATING	100	LF	10.00	1000.00
12	Cooling	100	LF	10.00	1000.00
13	INSULATION	100	SQ. YD.	10.00	1000.00
14	FOUNDATION	100	SQ. YD.	10.00	1000.00
15	ROOFING	100	SQ. YD.	10.00	1000.00
16	PAINTING	100	SQ. YD.	10.00	1000.00
17	LANDSCAPING	100	SQ. YD.	10.00	1000.00
18	SEWER	100	LF	10.00	1000.00
19	WATER	100	LF	10.00	1000.00
20	ELECTRICAL	100	LF	10.00	1000.00
21	MECHANICAL	100	LF	10.00	1000.00
22	PLUMBING	100	LF	10.00	1000.00
23	HEATING	100	LF	10.00	1000.00
24	Cooling	100	LF	10.00	1000.00
25	INSULATION	100	SQ. YD.	10.00	1000.00
26	FOUNDATION	100	SQ. YD.	10.00	1000.00
27	ROOFING	100	SQ. YD.	10.00	1000.00
28	PAINTING	100	SQ. YD.	10.00	1000.00
29	LANDSCAPING	100	SQ. YD.	10.00	1000.00
30	SEWER	100	LF	10.00	1000.00
31	WATER	100	LF	10.00	1000.00
32	ELECTRICAL	100	LF	10.00	1000.00
33	MECHANICAL	100	LF	10.00	1000.00
34	PLUMBING	100	LF	10.00	1000.00
35	HEATING	100	LF	10.00	1000.00
36	Cooling	100	LF	10.00	1000.00
37	INSULATION	100	SQ. YD.	10.00	1000.00
38	FOUNDATION	100	SQ. YD.	10.00	1000.00
39	ROOFING	100	SQ. YD.	10.00	1000.00
40	PAINTING	100	SQ. YD.	1	

CONSTRUCTION NOTES

1. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
2. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
3. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
4. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
5. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
6. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
7. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
8. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
9. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
10. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
11. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
12. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
13. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
14. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
15. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
16. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
17. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
18. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
19. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.
20. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE APPROVED BY THE DOB AND DEC PRIOR TO CONSTRUCTION.



PARTIAL NORTH EXTERIOR ELEVATION - B	
NO. 100	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 101	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 102	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 103	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 104	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 105	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 106	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 107	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 108	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 109	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 110	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 111	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 112	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 113	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 114	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 115	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 116	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 117	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 118	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 119	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 120	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 121	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 122	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 123	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 124	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 125	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 126	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 127	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 128	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 129	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 130	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 131	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 132	10' 0" x 10' 0" (3' 0" x 3' 0")
NO. 133	10' 0"




REVISIONS:		PROJECT	
NO.	DATE	DESCRIPTION	
100% PERMIT DOCUMENTS			
PROJECT 20 HUNTER AVE • MONTGOMERY • NY 12549 G. MONTGOMERY • P. MONTGOMERY WWW.ARC402.COM CONTACT@ARC402.COM		ARCHITECTS ARCHITECTURE • PLANNING • INTERIORS WARWICK COMMONS STAGE 5 - BUILDING 1 VILLAGE OF WARWICK, NEW YORK	
BUILDING SECTION			
FROM: 2121 DATE: 01/13/23 DRAWN: DEB SCALE: AS NOTED CHECKED:			


2 BUILDING SECTION @ LIVING (UNIT 3)
1/8" = 1'-0"

3 CROSS SECTION @ UNIT #2
1/8" = 1'-0"


A-402




① NORTH PARTIAL ELEVATION @ UNIT # 3
1/8" = 1'-0"




② NORTH WALL SECTION
1/8" = 1'-0"



③ WALL TO ROOF EAVE DETAIL
1/8" = 1'-0"




④ SILL AND HEAD WINDOW DETAIL
1/8" = 1'-0"




⑤ WALL SECTION @ LIVING ROOM
1/8" = 1'-0"


100% PROJECT PROJECT: [Logo] NORTH SECTION		25 MANUEL AVE • BROOKLYN • NY 11238 6 MANHATTAN • 17th FLOOR WWW.A404ARCHITECTS.COM A404ARCHITECTS.COM	ARCHITECTS ARCHITECTURE • PLANNING • INTERIORS Project: WARWICK COMMONS STAGE 5 - BUILDING 1 Village of WARWICK, NEW YORK
PERMIT DOCUMENTS REVISIONS: NO. DATE DESCRIPTION 1 01/12/21 1 17th FLOOR		Drawing Number: A-404 Project: 2121 Date: 01/12/21 Drawn: DBA Issue: AS NOTED	




① NORTH ELEVATION @UNIT #3
1/32" = 1'-0"



② NORTH WALL SECTION @UNIT #3
1/32" = 1'-0"




③ NORTH WALL SECTION @ 2ND FLOOR (UNIT 3I)
1/32" = 1'-0"




④ STAIR SECTION DETAIL @UNIT #3
1/32" = 1'-0"


REVISIONS: NO. DATE DESCRIPTION	
PERMIT DOCUMENTS 100% PROJECT	
PROJECT 20 INDIANA AVE • WASHINGTON • DC 20004 20 INDIANA AVE • WASHINGTON • DC 20004 20 INDIANA AVE • WASHINGTON • DC 20004 20 INDIANA AVE • WASHINGTON • DC 20004	SECTION NORTH NORTH NORTH NORTH
ARCHITECTS WARWICK COMMONS STAGE 5 - BUILDING 1 VILLAGE OF WARWICK, NEW YORK	
DRAWING NUMBER NORTH WALL SECTION @UNIT #3	
Project: 2121 Date: 01/13/25 Drawn: DEB Scale: AS NOTED	A-407




① SOUTH FACADE @ UNIT #2 PORCH
1/2" = 1'-0"



② SOUTH WALL SECTION @ UNIT #2 PORCH
1/2" = 1'-0"



③ PORCH CANOPY DETAIL @ UNIT #2
1/2" = 1'-0"




④ FOUNDATION DETAIL @ UNIT #2
1/2" = 1'-0"

REVISIONS:	
NO.	DATE


100% PERMIT DOCUMENTS	
PROJECT	20 INDIAN LANE • MONROVIA • 907 TSH
ARCHITECTS	WWW.AGARCHITECT.COM
ARCHITECTS	ARCHITECTS • PLANNING • INTERIORS
ARCHITECTS	WARWICK COMMONS STAGE 5 - BUILDING 1
ARCHITECTS	VILLAGE OF WARWICK, NEW YORK
ARCHITECTS	DRAWING NUMBER: SOUTH FACADE SECTION AND DETAILS
ARCHITECTS	Project: 2121 Date: 01/13/22
ARCHITECTS	Drawn: DBA
ARCHITECTS	Scale: AS NOTED
ARCHITECTS	Drawing Number: A-409

CONSTRUCTION NOTES


1. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
2. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
3. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
4. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
5. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
6. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
7. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
8. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
9. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.
10. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NEW YORK CITY DEPARTMENT OF BUILDINGS (DOB) REGULATIONS AND THE NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL CONSERVATION (DEC) REGULATIONS.




① FIRST FLOOR ENLARGED TOILET PLAN (UNIT #1 A-B)
1/8" = 1'-0"




ELEVATION A



ELEVATION B




ELEVATION C




ELEVATION D


② TOILET PLAN UNIT #1 A-B ELEVATIONS
1/8" = 1'-0"




③ SECOND FLOOR ENLARGED BATHROOM PLAN (UNIT #1 A-B)
1/8" = 1'-0"




ELEVATION E



ELEVATION F




ELEVATION G




ELEVATION H


④ BATHROOM UNIT #1 A-B ELEVATIONS
1/8" = 1'-0"




⑤ SECOND FLOOR ENLARGED MASTER BATH PLAN (UNIT #3 B, 7 B, 8 B)
1/8" = 1'-0"




ELEVATION I























ELEVATION J



ELEVATION K





① SCHLÜTER FLOOR TRANSITION DETAIL 1/2" = 1'-0"	② RENO FLOOR TILE THRESHOLD DET. 1/2" = 1'-0"	③ DECO TRANSITION DETAIL 1/2" = 1'-0"	④ RENO-T TRANSITION DETAIL 1/2" = 1'-0"	⑤ RENO-TK TRANSITION DETAIL 1/2" = 1'-0"
⑥ RENO-U TRANSITION DETAIL 1/2" = 1'-0"	⑦ RENO RAMP DETAIL 1/2" = 1'-0"	⑧ RENO-V TRANSITION DETAIL 1/2" = 1'-0"	⑨ QUADREC TRIM DETAIL 1/2" = 1'-0"	⑩ DECO-DE CORNER TRIM DETAIL 1/2" = 1'-0"
⑪ DILEX-HK CORNER TRIM DETAIL 1/2" = 1'-0"	⑫ DILEX-BWS MOVEMENT JOINT DETAIL 1/2" = 1'-0"	⑬ DILEX-BWS MOVEMENT JOINT DETAIL 1/2" = 1'-0"	⑭ DILEX-EX G+9 MOVEMENT JOINT DETAIL 1/2" = 1'-0"	⑮ KERDI FLOOR DRAIN 1/2" = 1'-0"
⑯ DILEX-BWS MOVEMENT JOINT DETAIL 1/2" = 1'-0"	⑰ DILEX-BWS MOVEMENT JOINT DETAIL 1/2" = 1'-0"	⑱ DILEX-ASN OR ELSB MOVEMENT DETAIL 1/2" = 1'-0"	⑲ DILEX-KSMT MOVEMENT JOINT DETAIL 1/2" = 1'-0"	⑳ DILEX-HKW CORNER TRIM DETAIL 1/2" = 1'-0"
㉑ DILEX-AS FLEXIBLE JOINT DETAIL 1/2" = 1'-0"	㉒ DILEX-ENSA PERIMETER JOINT DETAIL 1/2" = 1'-0"	㉓ DILEX-EKE PERIMETER JOINT DETAIL 1/2" = 1'-0"	㉔ DILEX-KSMT MOVEMENT JOINT DETAIL 1/2" = 1'-0"	㉕ DILEX-HKW CORNER TRIM DETAIL 1/2" = 1'-0"

100% PERMIT DOCUMENTS

100% PERMIT DOCUMENTS

ARCHITECTS

WARWICK COMMONS STAGE 5 - BUILDING 1


VILLAGE OF WARWICK, NEW YORK

TILE SPLITTER DETAILS


Project: 2121
Drawn: DBA
Date: 01/13/22
Sheet: AS NOTED

A-603


NO.	DATE	DESCRIPTION




① CONCRETE SLAB CONTROL JOINT DET.
1/8" = 1'-0"




② BEARING WALL HAUNCH DETAIL - TYP.
1/8" = 1'-0"




③ REINFORCING @ OPENINGS IN FOUNDATION WALL
1/8" = 1'-0"



④ DOVEL JOINT DETAIL
1/8" = 1'-0"




⑤ CONC. SLAB CONT. JOINT WITH DOVEL
1/8" = 1'-0"



⑥ TYPICAL STAIR DETAIL
1/8" = 1'-0"



⑦ OVERHEAD DOOR JAMB DETAIL
1/8" = 1'-0"



⑧ HAUNCH @ DOOR DETAIL
1/8" = 1'-0"

NOTE: STRUCTURAL DEPARTMENTS SHALL SUPPLEMENT

REVISIONS	
DATE	DESCRIPTION

100%

A

D

G

100% PERMIT DOCUMENTS

ARCHITECTURE & INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

PROJECT

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DESIGNER

ARCHITECTURE & INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DATE

2021

BY

IDEA

DATE

01/13/23

BY

IDEA

PROJECT

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DESIGNER

ARCHITECTURE & INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DATE

2021

BY

IDEA

DATE

01/13/23

BY

IDEA

PROJECT

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DESIGNER

ARCHITECTURE & INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DATE

2021

BY

IDEA

DATE

01/13/23

BY

IDEA

PROJECT

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DESIGNER

ARCHITECTURE & INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DATE

2021

BY

IDEA

DATE

01/13/23

BY

IDEA

PROJECT

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DESIGNER

ARCHITECTURE & INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DATE

2021

BY

IDEA

DATE

01/13/23

BY

IDEA

PROJECT

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DESIGNER

ARCHITECTURE & INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DATE

2021

BY

IDEA

DATE

01/13/23

BY

IDEA

PROJECT

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DESIGNER

ARCHITECTURE & INTERIORS

WARWICK COMMONS STAGE 5 - BUILDING 1

VILLAGE OF WARWICK, NEW YORK

DATE


2021

BY


IDEA

DATE


0




1 MID-WALL TRANSITION WITH SILL STONE
1/12" = 1'-0"




2 MID-WALL TRANSITION WITHOUT SILL STONE
1/12" = 1'-0"




3 INSIDE CORNER
1/12" = 1'-0"




4 OUTSIDE CORNER
1/12" = 1'-0"




5 SOFFIT TERMINATION
1/12" = 1'-0"




6 FOUNDATION TERMINATION
1/12" = 1'-0"




6 VERT. CONTROL JOINT
1/12" = 1'-0"




9 CONTINUOUS INSULATION
1/12" = 1'-0"




9 RAKE TERMINATION
1/12" = 1'-0"




1 WINDOW JAMB
1/12" = 1'-0"







① THIN BRICK TRANSITION @ WINDOW SILL
2" x 12"




④ THIN BRICK @ WINDOW SILL
2" x 12"




⑦ THIN BRICK WITH INSULATION @ WINDOW HEAD
2" x 12"




② THIN BRICK - ACCENT BAND
2" x 12"




⑤ THIN BRICK @ PRECAST WINDOW SILL
2" x 12"




⑥ THIN BRICK WITH INSULATION @ WINDOW HEAD
2" x 12"



③ THIN BRICK @ WINDOW HEAD
2" x 12"



⑥ HORIZONTAL EXPANSION JOINT
2" x 12"



⑧ THIN BRICK WITH INSULATION @ WINDOW SILL
2" x 12"

REVISIONS:


DATE	DESCRIPTION

100% PERMIT DOCUMENTS


ARCHITECTS	20 INCLUSIVE • ARCHITECTS • 107 1248 100% PERMIT DOCUMENTS CONTACT@ARCHITECTS.COM
ARCHITECTS	ARCHITECTURE • PLANNING • INTERIORS WARWICK COMMONS STAGE 5 - BUILDING 1 VILLAGE OF WARWICK, NEW YORK

THIN BRICK DETAILS


Project: 2121	Date: 01/13/23
Drawn: DBA	Scale: AS NOTED
Sheet: A-600	




① SIDEWALK DETAIL
1/2" = 1'-0"




② GROUND DET.-RAISED FLR. SLAB
1/2" = 1'-0"




③ GROUNDING DETAIL
1/2" = 1'-0"




④ ANGULAR DOWNSPOUT BOOT-ALTERNATIVE
1/2" = 1'-0"




⑤ TRENCH DRAIN
1/2" = 1'-0"




⑥ TRENCH-DRAIN & INTERNAL CURB
1/2" = 1'-0"




⑦ EOODRAIN TRENCH DRAIN DET.
1/2" = 1'-0"



⑧ CONCRETE CURB AND GUTTER
1/2" = 1'-0"



⑨ RAMP DETAIL
1/2" = 1'-0"



⑩ RAMP CURB DETAIL
1/2" = 1'-0"

REVISIONS:		DESCRIPTION:	
NO.	DATE	NO.	DESCRIPTION

100% PERMIT DOCUMENTS	
ARCHITECTS	WARWICK COMMONS STAGE 5 - BUILDING 1
DATE	10/1/2025
PROJECT	VILLAGE OF WARWICK, NEW YORK
DESIGNER	WARWICK COMMONS STAGE 5 - BUILDING 1
DATE	10/1/2025
PROJECT	VILLAGE OF WARWICK, NEW YORK
DESIGNER	WARWICK COMMONS STAGE 5 - BUILDING 1
DATE	10/1/2025