

CHANGE ORDER

Order No. 1

Date: 7/18/2025

Name of Project: **VILLAGE OF WARWICK**
WELL #3 WATER TREATMENT PLANT – ELECTRICAL CONTRACT

Owner: Village of Warwick

Contractor: Joseph Warren Electrical, LLC

THE FOLLOWING CHANGES ARE HEREBY MADE TO THE CONTRACT DOCUMENTS:

JUSTIFICATION – Time delays due to Orange and Rockland Utilities, Inc having to move the pole delayed the project 4 months. The installation of an insertion valve by others also delayed the project. The substantial completion will be December 31, 2025 and the final completion will be January 25, 2026.

CHANGE TO CONTRACT PRICE

Project Contingency	\$ <u>20,000.00</u>
Current Project Contingency adjusted by previous Change Order	\$ <u>20,000.00</u>
Contingency Amount due to this Change Order will be decreased by	\$ <u>0.00</u>
The new Project Contingency including this Change Order will be	\$ <u>20,000.00</u>

CHANGE TO CONTRACT TIME

The Contract Time will be increased by 180 calendar days.

The date for completion of all work will be January 25, 2026.

APPROVALS REQUIRED

To be effective, this Order must be approved as required by the Supplemental General Conditions.

Requested By: Joseph Warren Electrical, LLC

Recommended By: 

Engineer

Approved By: _____

Owner

Accepted By: _____

Contractor

Federal Agency Approval (where applicable) _____

Joseph Warren Electrical, LLC

14 W. Lake Road, Warwick, NY 10990 | (845) 651-1844 | jwarrenelectrical@gmail.com

July 18, 2025

Pitingaro & Doetsch Consulting Engineers, PC
20 Industrial Drive
Middletown, NY 10941

Subject: Village of Warwick – Well #3 Improvements

To Whom It May Concern,

We, Joseph Warren Electrical, LLC is formally requesting a time extension for work on the Village of Warwick, Well #3 Improvements project. There was a delay caused by the Utility company providing the incorrect transformers.

In addition there was a delay getting approval/change order for an insertion valve.

These delays have significantly changed the time line and we must request an increase in the completion date to December 31, 2025.

Sincerely,



Joseph Warren

MEMORANDUM

TO: MAYOR NEWHARD & THE VILLAGE BOARD
FROM: MIKE MOSER, DPW SUPERVISOR
SUBJECT: CAT 908 WHEEL LOADER
DATE: JULY 23, 2025

Request a motion to approve the purchase of a **CAT 908 Compact Wheel Loader** from H.O. Penn, in the amount of \$130,000.00 per the recommendation of DPW Supervisor, Mike Moser. The purchase price reflects a trade-in allowance of \$15,000.00 for the existing **Wacker Neuson 1150**.

This acquisition is a budgeted item under **Equipment Line A5110.2350**.

**VILLAGE OF WARWICK PROCUREMENT POLICY - EXHIBIT A
PURCHASING QUOTATION SUMMARY FORM**

- | | |
|--|---|
| Purchase Contracts (Single Item Purchase) | Public Works Contracts (Services/Construction) |
| \$2,000 - \$19,999 | (3) Written/Email/Fax Quotes |
| Above \$20,000 | Mandatory Competitive Bidding |
- Aggregate purchases totaling over \$20,000 – must follow mandatory competitive bidding process.
- This form must be attached to voucher and invoice for Board approval.

DESCRIPTION OF PURCHASE

CAT WHEEL LOADER

BUDGETED PURCHASE <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	BUDGET CODE A5110.2350	CURRENT LINE BALANCE \$ 170,175 Signature: _____ Date: 7/23/25
---	----------------------------------	---

BUDGETED AMOUNT \$	IF NO EXPLAIN
------------------------------	----------------------

#	DATE OF QUOTE	VENDOR/SUPPLIER	TOTAL COST
1	6/27/25	H.O.PENN	\$ 130,000
2			\$
3			\$

VENDOR SELECTED

IF NOT LOWEST BID EXPLAIN WHY

IF ONLY (1) QUOTE EXPLAIN OR IF A SOLE SOURCE

Sole Source

EXCEPTIONS TO COMPETITIVE BIDDING

OTHER GOVERNMENTS STATE - COUNTY MUNICIPAL BID CONTRACTS	NAME OF AGENCY	
	VENDOR/SUPPLIER	CONTRACT#
	TOTAL COST \$	BID PERIOD EXPIRES
	ADDITIONAL INFORMATION	

****EMERGENCY PURCHASE** - Must meet one of the following situations**

- 1) Result from accident or unanticipated incident
- 2) Impact public buildings, property, or the life, health & safety of municipal residents
- 3) Requires immediate action that cannot wait for competitive bidding

REASON FOR EMERGENCY PURCHASE - ATTACH ADDITIONAL DOCUMENTATION

DEPARTMENT APPROVAL

Name/Title: Mike Finelli Assistant DPW Supervisor

Signature: 

Date: 7/23/25

H.O.PENN
Since 1923



Jun 27, 2025

VILLAGE OF WARWICK DEPT OF PUBLIC WORKS

PO BOX 369
WARWICK, New York 10990

Mike Finelli,

Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New Caterpillar Inc Model: **908 Wheel Loader** with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: C0378-24

SERIAL NUMBER: 0MZ801152

YEAR: 2024

SMU: 2

We appreciate your interest in H.O. Penn Machinery Co. Inc. and Caterpillar products for your business needs. This quotation is valid for 30 days, and is subject to prior sale. If there are any questions, please do not hesitate to contact me.

Regards,

James Bennett
Machine Sales Representative
jbennett@hopenn.com
(845) 206-2553

One (1) New Caterpillar Inc Model: 908 Wheel Loader with all standard equipment in addition to the additional specifications listed below:

STANDARD EQUIPMENT

POWERTRAIN -- Emissions compliant, two options -- U.S EPA Tier 4 Final and EU Stage V* -- U.S. EPA Tier 3 and EU Stage IIIA** -- C2.8 DIT engine (Turbocharger) -- Diesel particulate filter (DPF)* -(Fit for Life) or exhaust muffler** -- Fuel, diesel, ultra low sulphur, -@ < 15 ppm (stage V)* -- Fuel, diesel, standard sulphur, -@ < 500 ppm (stage IIIA)** -- Hydrostatic transmission, 2 speed, -with inching function, shift on the go -- Powertrain mode, hystat -- Air cleaner, two stage filter, with in -cab audio/visual indicator on display -- Axles, heavy duty, frame mounted -with outboard planetary reduction -- Closed circuit breather -- Coolant, extended life, -36C (-33F) -- Drive shaft, maintenance free, -sealed for life, universal joints -- Engine, auto idle shutdown, -ultra low idle, hibernation mode -- Engine oil, ECO drain tap and hose -- Fuel pump, priming (manual) with -water separator & drain port

HYDRAULICS -- Caterpillar HYDO Adv. 10 hydraulic oil -- Coupler/pin on attachment ready -- Demand cooling fan, hyd. driven -- Dead engine lower, lift valve, manual -- EH fully proportional controls -- Hydraulic pilot shut off switch, in cab -- Hystat pump, infinitely variable, -- Implement valve, anti drift -and pressure compensated -- Joystick, single auxiliary roller -- Lift and tilt control -- Loader arm float function -- Motor, single drive with dedicated -implement and steering pumps -- Oil Sampling SOS ports, -

ELECTRICAL -- Alternator, 100 amp sealed -- Battery, heavy duty, 12V, 90Ah&950CCA -- Battery disconnect switch -- Cab mounted fuse panel -- Lights, rear stop and turn, LED -- Lights, roading, front halogen -- Service port, electronic diagnostic, ET -- Product link (PL243)

OPERATOR ENVIRONMENT -- ROPS/FOPS certified canopy/cab -- 12V power outlets, interior/exterior -- Pedals, brake/inching, accelerator -- Lever, parking brake -- Cup holders (2) -- CB radio clip, phone holder -- Door release, internal (left/right) -- Hook, large, coat and hard hat -- Floormat, easy clean, raised pedals -- Mirrors, 2 external, 1 internal -- Steering wheel, spinner knob, horn -- Seat belt, orange, 51mm (2 in) -- Storage, cab (trays x3, seat pocket) -- Steering column, tilt adjusted -- Column mounted multi function -control: lights, roading, wipers, -self cancelling turn signals -- Quick coupler switch, in cab -- Display, analog and digital -- Gauges (2), hyd oil, engine coolant -- Digital with soft touch buttons, -fuel level, speed range, speedometer, -service hour meter, service/ maint info, -hyd/powertrain perf and aggr settings, -security passcode (multiple languages) -- Joystick, seat mounted, multifunction -- Forward/neutral/reverse, aux roller, -speed range, cont flow, diff lock, horn -- Right Arm rest, padded, multi height -- Seat, manual height adjust/suspension, -(cab) fabric, adjustable left arm rest -(canopy) vinyl, no left arm rest -- Cab -- Doors, (2), fixed glass -- Wipers, front/rear, full coverage -- Windshield, front single piece -- Window, rear heated -- Radio ready, speakers and wiring -- Air vents, 4 screen, 7 directional -- Heating, mechanical control unit -- Sun Visor, solid, front full width -- Interior light (incandescent)

OTHER STANDARD EQUIPMENT -- Cat optimized Z-bar loader linkage -- Fenders, front and rear -- Ground level daily service points -- Loader arm safety brace -- Lockable engine enclosure/side access -fuel filler cap, nose cone, HVAC filters -- Machine lifting/tie down points -- Paint, E-Coat primer, gloss top coat -- Recovery hitch with pin -

MACHINE SPECIFICATIONS

908 14A CWL AM-N/AM-S	572-7978
LANE 3 ORDER	0P-9003
PREPARATION PKG-USA, ANSI	601-2045
LIGHTS, ROAD, FN, HAL, RH DIP	573-3913
FAN, DEMAND, STD	581-4770
WEATHER, COLD START, 120V	580-6299
ENGINE, C2.8, STAGE V	607-1279
FILTER, FUEL, ELECTRIC	569-2571
TRANS 25 MPH DIFF LOCK	597-1180
HYD, 3V, STD FLOW, STD LIFT	598-2562
COUPLER, SSL	577-6117
AUX, STD FLOW, 3 VALVE	607-6811
RIDE CONTROL, STD LIFT	577-6051
KICKOUT, RTD, ROTARY SENSOR	573-3916
CAB, DLX, 2 SLIDING WINDOWS	577-7154
KEY START, PASSCODE SECURITY	580-0524
MIRROR, EXT, STD	577-7161
CAMERA, REAR VIEW, W/O MIRROR	602-2629
STORAGE, BASE TRAY	598-4911
KEYPAD 8, RIM PULL/CREEP CTL	580-0522
SEAT, DELUXE PLUS, AIR, HEAT	573-4006
SEAT BELT, 2"	595-3363
AIR CON, AUTO TEMP CONTROL	587-6908
DOOR STOP, CAB	600-3116
PRODUCT LINK, CELLULAR PLE643	636-6178
TIRES 405/70 R20,GY,POWERLOAD	617-3232
FENDERS, STANDARD, R20	579-9894
HITCH, REAR RETRIEVAL, STD	580-0511
HYDRAULIC OIL, STANDARD	577-6969
LIGHTS, CAB, STD, 4X LED	580-0532
ALARM, BACK UP	580-0537
BEACON, MAGNET, LED, AMBER	561-0644
DOOR SWITCH & 2X USB POWER	596-4178
HARNESS, WIRING, WT, SSL	580-0539
STANDARD RADIO (12V)	623-9432
1.4 CYD GP BUCKET	000-000
FORKS	000-000

WARRANTY & COVERAGE

Standard Warranty:	12 Months Full Machine
Extended Coverage:	5 years / 3000 PREMIER Warranty

 SELL PRICE

\$145,000.00

LESS GROSS TRADE ALLOWANCE	(\$15,000.00)
NET BALANCE DUE	\$130,000.00
AFTER TAX BALANCE	\$130,000.00

TRADE-INS

Model	Make	Serial Number	Year	Trade Allowance
1150	WACKER (WA)	347040347	2011	\$15,000.00

F.O.B/TERMS:
Bloomingburg

PAYMENT TERMSCash Invoice Terms

CASH WITH ORDER

\$130,000.00

Accepted by _____ on _____

Signature



Cat® 908

COMPACT WHEEL LOADER

FEATURES:

CONFIGURED FOR SUCCESS

- Cat® wheel loaders set the standard for productivity, fuel efficiency and operator comfort. The Cat 908 Compact Wheel Loader has a high torque C2.8 engine that works in conjunction with an intelligent hystat power train to deliver exceptional fuel efficiency. Dependent on regional requirements our engines meet U.S. EPA Tier 4 Final and EU Stage V emission standards with a clean emission module designed to manage itself so you can concentrate on the task at hand or emit equivalent to U.S. EPA Tier 3 and EU Stage IIIA.

ENJOY ALL DAY COMFORT

- All new cab is spacious, quiet and comfortable with all around 360° visibility to keep you productive throughout the day. Seat-mounted controls feature a multifunction joystick for lift and tilt functions with an integrated thumb operated speed range, forward/neutral/reverse (FNR) switch, trigger operated differential lock and constant flow. Optional fourth function joystick also available.
- Digital display with soft touch buttons for customized settings to easily control linkage and drive train to further enhance operator comfort and safety.

EFFICIENTLY POWERFUL

- Cat C2.8 engine provides a cleaner, quieter operation while delivering superior performance and durability through a high torque, low speed design. Caterpillar's exclusive Intelligent Power Management system monitors operator input and available power to keep the machine working at peak efficiency.
- "Shift on the go" locking differentials and hydrostatic transmission provide smooth and powerful operation while increasing the efficiency of machine cycles. New Powertrain (Utility) Mode via the display enables right pedal machine operation giving further improved operator controllability of attachment RPM versus machine ground speed over creep control and inching pedal.

WORK MADE EASY

- All-in-one joystick to keep eyes on the work while maximizing operation of hydro-mechanical attachments with a state of the art pressure compensated electro-hydraulic system. Optimized Z-bar linkage for great performance and versatility with buckets that now have the DNA of the larger Cat loaders, such as curved side plates and a flat torque tube for parallel reference to the cutting edge.

CUSTOMIZE YOUR EXPERIENCE

- Work as one with your machine by customizing the controls. Operator can adjust machine responsiveness with the push of a button based on the attachment or application. Once customized, settings can be locked with "simplified mode" to ensure the machine is consistent and intuitive for every user.
- Machine security is enhanced with a standard keycode or optional Bluetooth® technology.

PURPOSE BUILT SPECIALITY MODELS

- Machines can be built to meet industry and application specific needs: Agriculture, General Construction, Industrial and Waste, Landscaping or Snow Removal.
- The 908 has the following specific handler arrangements:
 - Ag Handler
 - Waste Handler

AFTERMARKET AND SERVICES

- Range of services and aftermarket retrofits and upgrades available to keep your machine going and configured for your application.
- Service and maintenance parts available, including a range of self-service options (SSO) and dealer installed kits.
- Integrated Technology available to reduce service costs and maintenance.



Purpose Built Specific Handlers

A complete range of optional equipment and work tool attachments gives you the versatility to configure a handler package to be successful in your business. Get with Caterpillar to configure yours.

AG HANDLER



Recommended options for an AG Handler:

- High lift
- Reversing fan
- AG tires
- LED roading lights
- LED work lights
- Camera, front or rear
- Full range of work tool attachments

WASTE HANDLER



Recommended options for a Waste Handler:

- High lift
- Reversing fan
- Light guarding, front and rear
- Tire options (solid or pneumatic)
- LED work lights
- Camera, front or rear
- Seatbelt notification, green beacon option
- Backup alarm
- Light material or grapple buckets

Specifications

Engine

Engine Model	Cat® C2.8*	
Maximum Engine Speed	2,550 rpm	
Maximum Gross Power		
Rated Engine Speed	2,400 rpm	
SAE J1995	55.7 kW	74.7 hp
ISO 14396	55.4 kW	74.3 hp
ISO 14396 (metric)	75.3 mhp	
Rated Net Power		
Rated Engine Speed	2,400 rpm	
SAE J1349	54.2 kW	72.7 hp
ISO 9249	53.8 kW	72.1 hp
ISO 9249 (metric)	73.1 mhp	
Maximum Gross Torque#		
SAE J1995	300 N-m	222 lb-ft
ISO 14396	300 N-m	221 lb-ft
Maximum Net Torque#		
SAE J1349	296 N-m	218 lb-ft
ISO 9249	295 N-m	217 lb-ft

Engine (continued)

Displacement	2.8 L	171 in ³
Bore	90 mm	3.54 in
Stroke	110 mm	4.33 in

- Advertised power is tested per the specified standard in effect at the time of manufacture.
- Net power advertised is the power available at the flywheel.

*Two Cat C2.8 engine emission options are available:

- 1) Meets U.S. EPA Tier 4 Final, EU Stage V.
- 2) U.S. EPA Tier 3 and EU Stage IIIA equivalent. Tier 3 engine specs are 0.3 kW/0.4 hp more gross power (SAE J1995), 0.2 kW/0.3 hp on net power (SAE J1349) and 1 N-m/0.7 lb-ft higher on gross torque (SAE J1995).

#Maximum gross and net torque measured at 1,600 rpm.

Specifications (continued)

Buckets

Bucket Capacities – General Purpose	0.80-1.35 m ³	1.0-1.7 yd ³
Bucket Capacities – Multi Purpose	0.75-1.1 m ³	1.0-1.4 yd ³
Bucket Capacities – Light Material	1.25-1.55 m ³	1.6-2.0 yd ³

- Bucket selection must be made with an understanding of the material density and application to ensure machine stability is maintained within the tipping loads stated per model and configuration.
- Bucket capacities stated include bolt-on cutting edge (BOCE), in line with ISO 7546.

Transmission

Forward and Reverse:

Speed Range Creep#	10 km/h	6 mph
Speed Range 1*	10 km/h	6 mph
Speed Range 2** – High Speed	17 km/h	10.5 mph
Speed Range 2** – Standard	20 km/h	12 mph
Speed Range 3***	40 km/h	25 mph

#Factory default shown, can be adjusted to any speed up to 19 km/h (12 mph).

*Creep function not available in this gear or above.

**Max speed dependent on model and configuration (standard vs. high speed transmission).

***Reverse is 30 km/h (19 mph).

Tires

Standard Size	405/70 R20 SPT9*
Other Choices Include:	405/70 R20 Powerloads 400/70 R20 XMCL/Bibload 360/80 R20 TRI 2 40X14-20 TL, SM/TR

- Other tire choices are available. Contact your Cat dealer for details.
- Caterpillar recommends that you consult a tire supplier to evaluate all conditions before selecting a tire model.

*This tire has been used for all dimension, stability and performance data.

Service Refill Capabilities

Fuel Tank (including filter and lines)	90 L	24 gal
Cooling System	12 L	3.2 gal
Engine Crankcase	8.8 L	2.3 gal
Axles – Front Center Differential	8.8 L	2.3 gal
Axles – Rear Center Differential	8.8 L	2.3 gal
Hydraulic System (including tank)	70.5 L	18.6 gal
Hydraulic Tank	44.6 L	11.8 gal
Transmission	2.4 L	0.6 gal

- No Diesel Exhaust Fluid (DEF) fluid needed on this size engine.

Axles

Front	Fixed (standard) Locking Differential (optional)
Rear	Fixed (standard) Locking Differential (optional)

- Oscillation of ±11 degrees via hitch between front and rear frames.

Steering

Steering Articulation Angle (each direction)	39°	
Maximum Flow – Steering Pump	46.7 L/min	12.3 gal/min
Maximum Working Pressure – Steering Pump	23 000 kPa	3,336 psi
Steering Cycle Times – (full left to full right) – at High Idle	2.8 sec	
Number of Steering Wheel Turns – Full Left to Full Right or Full Right to Full Left	3.25 turns 4.00 turns	

Cab

ROPS ISO 3471:2008

FOPS ISO 3449:2005 Level II

- Canopy and cab, Rollover Protective Structures (ROPS) are available worldwide. Canopy not available in Europe (EU).

Loader Hydraulic System

Main Relief – 1st Auxiliary (3rd slice)	23 500 kPa	3,408 psi
Standard Flow*	90 L/min	24 gal/min
High Flow*	125 L/min	33 gal/min
Main Relief – 2nd Auxiliary (4th slice)	23 500 kPa	3,408 psi
Flow	45 L/min	12 gal/min
Hydraulic Cycle Time		
Rack Back	2.5 seconds	
Lift	5.8 seconds	
Dump	1.8 seconds	
Float down	3.6 seconds	

*Maximum flow stated, actual flow delta could be 6% from data shown. Also adjustable from 20% to 100% of maximum flow through display.



908 Compact Wheel Loader

AFTERMARKET, RETROFIT and UPGRADE KITS

Machine upgrade and aftermarket kits are available for retrofit, either as a self-service option or dealer installed.

Dealer Installed Kits/Upgrades

- Couplers
- Joystick Kits
- Keypad Options
- Reversing Fan
- Ride Control
- Rotary Sensor and Kickouts
- Work Tool Harness
- Auxiliary Hydraulics Kits
- Product Link™ Elite
- Starting Aids
- Electric Fuel Priming Pump
- Camera (front or rear)
- Bluetooth® Security




Self-service or Dealer Installed Kits/Upgrades

- Lighting Packages
- Storage Box or Cool Storage Box
- Toolbox
- Seatbelt Packages
- Cab Filters Kits
- Cell Phone Holder Options
- Radio Kit
- Engine Pre-cleaner
- Push to Start Kit
- Mirror Packages
- Rear Hitch Ready Kit
- Engine Sound Suppression


ATTACHMENTS

Get more from your machine with Cat attachments. Choose from a wide variety of options and tailor your machine to different tasks and conditions.

- Augers
- Bale Grabs
- Bale Spears
- Blades
- Brooms
- Brushcutters
- Buckets
- Cold Planers
- Compactors
- Fork Tines and Carriages
- Material Handling Arm
- Nursery Forks
- Rakes, Landscape and Power Box
- Silage Defacers
- Snow Blowers
- Snow Plows
- Snow Pushes
- Snow Wings
- Stump Grinders
- Tillers
- Trenchers
- Wheel Saws



908 Compact Wheel Loader



Dimensions

	908		908 High Lift	
	Horizontal Pin Lock Coupler (HPL-V)#	Vertical Pin Coupler (SSL)	Horizontal Pin Lock Coupler (HPL-V)#	Vertical Pin Coupler (SSL)
	mm ft/in	mm ft/in	mm ft/in	mm ft/in
**1 Height: Ground to Cab	2670 8'9"	2670 8'9"	2670 8'9"	2670 8'9"
**2 Height: Ground to Beacon	2849 9'4"	2849 9'4"	2849 9'4"	2849 9'4"
**3 Height: Ground Axle Center	519 1'8"	519 1'8"	519 1'8"	519 1'8"
**4 Height: Ground Clearance	320 1'1"	320 1'1"	320 1'1"	320 1'1"
*5 Length: Overall	5544 18'2"	5707 18'9"	6000 19'8"	6157 20'2"
6 Length: Rear Axle to Bumper	1391 4'7"	1391 4'7"	1302 4'3"	1302 4'3"
7 Length: Hitch to Front Axle	1085 3'7"	1085 3'7"	1085 3'7"	1085 3'7"
8 Length: Wheel Base	2170 7'1"	2170 7'1"	2170 7'1"	2170 7'1"
9 Length: Front Axle to Front of Coupler	1200 3'11"	1436 4'9"	1698 5'7"	1948 6'5"
*10 Clearance: Bucket at 45°	2623 8'7"	2511 8'3"	3338 10'11"	3181 10'5"
**11 Clearance: Load over Height	2960 9'9"	2960 9'9"	3282 10'9"	3282 10'9"
**12 Clearance: Level Bucket	3206 10'6"	3197 10'6"	3693 12'1"	3684 12'1"
**13 Height: Bucket Pin	3412 11'2"	3412 11'2"	3898 12'9"	3898 12'9"
**14 Height: Overall	4313 14'2"	4403 14'5"	4769 15'8"	4859 15'11"
*15 Reach: Bucket at 45°	706 2'4"	811 2'8"	990 3'3"	1048 3'5"
16 Carry Height: Bucket Pin	367 1'2"	388 1'3"	367 1'2"	388 1'3"
**17 Dig Depth	109 0'4"	117 0'5"	109 0'4"	117 0'5"
18 Width: Bucket	2080 6'10"	2080 6'10"	2045 6'9"	2045 6'9"
19 Width: Tread Center	1570 5'2"	1570 5'2"	1570 5'2"	1570 5'2"
20 Turning Radius: Over Bucket	4493 14'9"	4607 15'1"	4825 15'10"	4919 16'2"
21 Width: Over Tires	2021 6'8"	2021 6'8"	2021 6'8"	2021 6'8"
22 Turning Radius: Outside of Tires	4005 13'2"	4005 13'2"	4005 13'2"	4005 13'2"
23 Turning Radius: Inside of Tires	1981 6'6"	1981 6'6"	1981 6'6"	1981 6'6"
24 Rack Angle at Full Lift	53°	50°	69°	66°
25 Dump Angle at Full Lift	45°	48°	40°	40°
26 Rack Angle at Carry	51°	54°	48°	42°
27 Departure Angle	30°	30°	30°	30°
28 Articulation Angle	39°	39°	39°	39°

	908		908 High Lift	
	Horizontal Pin Lock Coupler (HPL-V)#	Vertical Pin Coupler (SSL)	Horizontal Pin Lock Coupler (HPL-V)#	Vertical Pin Coupler (SSL)
	kg lb	kg lb	kg lb	kg lb
Operating Weight: Bucket ^A	6637 14,633	6691 14,752	6735 14,848	6836 15,070
Tipping Load – Straight – ISO 14397-1†	4820 10,626	4424 9,753	4167 9,187	3803 8,385
Tipping Load – Full Turn – ISO 14397-1†	4035 8,895	3693 8,141	3488 7,645	3149 6,943
Operating Weight: Carriage and Tines ^{AA}	6467 14,257	6530 14,396	6596 14,542	6674 14,714
Tipping Load – Straight – ISO 14397-1†	3920 8,642	3649 8,045	3194 7,041	2981 6,571
Tipping Load – Full Turn – ISO 14397-1†	3297 7,269	3085 6,800	2668 5,883	2481 5,469
80% of Full Turn Tip: Firm and Level EN474-3††	2638 5,815	2468 5,440	2135 4,706	1984 4,375

* Vary with bucket

** Vary with tire

^A HPL-V or SSL, general purpose bucket (908 = 1.15 m³ [1.5 yd³], 908 High Lift = 1.05 m³ [1.4 yd³]).

^{AA} HPL-V or SSL, class II carriage, 1220 mm (4 ft) tines (500 mm [20 in] load center).

† Full compliance to ISO 14397-1 (2007) Sections 1 thru 6 (fork 500 mm [20 in] load center), which requires 2% verification between calculation and testing.

†† Full compliance to EN474-3 and SAE J1197.

HPL-A weight, tipping and rated loads are within 1% of the HPL-V.

Dimensions listed are for a machine configured with standard cab, heater, 20 km/h (12 mph), standard guarding, 80 kg (176 lb) operator, full fluids, SPT9 405/70 R20 tires and general purpose bucket (908 = 1.15 m³ [1.5 yd³], 908 High Lift = 1.05 m³ [1.4 yd³]) with bolt-on cutting edge or a class III fork carriage and tines (tire supplier variability can impact dimensions by 2%).

Note: Goodyear POWERLOAD® tires can add up to approximately 140 kg (305 lb) to the full turn tip load and reduce vertical height by approximately 25 mm (1 in) compared to SPT9.

908 Compact Wheel Loader

STANDARD EQUIPMENT

POWER TRAIN

- Emissions compliant, two options*
 - U.S. EPA Tier 4 Final and EU Stage V#
 - U.S. EPA Tier 3 and EU Stage IIIA equivalent^
- Cat C2.8 engine
 - Diesel particulate filter (Fit for Life)# or muffler^
 - Fuel, diesel, ultra low# or low Sulphur^
 - Hydrostatic transmission, two speed, with inching function, "shift on the go"
 - Power train mode, hystat
- Air cleaner, two stage filter, with in cab audio/visual indicator on display
- Axles, heavy duty, frame mounted with outboard planetary reduction
- Closed circuit breather
- Coolant, extended life, -36° C (-33° F)
- Drive shaft, sealed for life, universal joints
- Engine, auto idle shutdown, hibernation mode
- Engine oil, ECO drain tap and hose
- Fuel pump, priming (manual)/water separator/drain

HYDRAULICS

- Caterpillar HYDO™ Advanced 10 hydraulic oil
- Coupler/pin on attachment ready
- Demand cooling fan, hydraulically driven
- Dead engine lower, lift valve, manual
- Electro-hydraulic, fully proportional controls
- Hydraulic pilot shut off switch, in cab
- Hystat displacement pump, infinitely variable
- Implement valve, pressure compensated
- Joystick, single lever, single auxiliary roller
- Multi-function lift and tilt with loader arm float
- Motor, single drive with dedicated implement and steering pumps

ELECTRICAL

- Alternator, 100 amp sealed
- Battery, heavy duty, 12V, 90Ah and 1,000 CCA
- Battery disconnect switch
- Cab mounted fuse panel
- Lights, rear stop and turn, LED
- Lights, roading, front halogen
- Service (Electronic Technician™)
- Product Link™

OPERATOR ENVIRONMENT

- ROPS/FOPS certified canopy/cab
 - 12V power outlets, interior/exterior
 - Pedals, raised, foot, brake/inching, accelerator
 - Lever, parking brake

*Dependent on regional regulations.

#Higher regulated countries.

^Lesser regulated countries.

- Cup holders (2)
- CB radio clip, phone holder
- Door release, internal (left and right)
- Hook, large, coat and hard hat
- Floor mat, heavy duty, easy clean
- Mirrors, (2) external breakaway, (1) internal
- Operator station on isolation mounts
- Steering wheel, spinner knob, horn in center
- Seat belt, orange, retractable, 51 mm (2 in)
- Storage, personal (trays [3], seat pocket)
- Steering column, tilt adjusted
- Column mounted multi function control: lights, roading, wipers, self cancelling turn signals
- Quick coupler switch, in cab
- Display, analog and digital
 - Gauges (2), hydraulic oil, engine coolant
 - Digital with soft touch buttons – fuel level, speed range, speedometer, service hour meter, service/maintenance information, hydraulic and power train performance and aggressiveness settings, security passcode (multiple languages)
- Joystick, seat mounted, standard multifunction
 - FNR, auxiliary roller, speed range select, continuous flow, differential lock, horn
 - Arm rest, padded right, multiple position vertical height
- Seat, manual height adjustment, (cab) fabric with adjustable left arm rest, (canopy) vinyl
- Cab
 - Doors (2), fixed glass
 - Wipers, front and rear, full front coverage
 - Windshield, front single piece
 - Window, rear heated
 - Radio ready, speakers and wiring
 - Air vents, (4) screen, (7) directional
 - Heating, mechanical control unit
 - Sun visor, solid, front full width
 - Interior light (incandescent)

OTHER

- Fenders, front and rear
- Ground level easy access daily service points
- Loader arm safety brace
- Lockable main and side engine enclosures
- Lockable, fuel cap, HVAC filters, nose cone
- Machine lifting/tie down points
- Paint, Electro-Coat primer, gloss topcoat
- Recovery hitch with pin
- Scheduled Oil Sampling (S-O-SSM) ports, engine oil and hydraulic oil

OPTIONAL EQUIPMENT

POWER TRAIN

- Antifreeze, extended life coolant, -50° C (-58° F)
- Cold start – jacket water heater, bypass valve
- Creep and throttle lock function
- Fuel pump, priming, manual#/electric^
- 40 km/h (25 mph) hydrostatic transmission, 3-speed, "shift on the go", secondary steering and boosted brakes
- Power train mode, utility (includes keypad)

ELECTRICAL

- Lighting packages, multiple; front, rear, engine bay (LED or HAL)
- Push to start
- Work tool wiring harness, (3) in cab switches

HYDRAULICS

- Auxiliary flow, single standard (3) valve, single high flow (3) valve, dual high flow (4) valve
- Caterpillar Bio HYDO Advanced hydraulic oil
- Connect under pressure and case drain
- Ride Control or load check valves*
- Reversing fan
- Quick disconnect auxiliary hydraulics

OPERATOR STATION

- Air Conditioning, automatic temperature control (ATC)
- Doors, sliding windows (left and right)
- Interior light, door activated
- Joystick, FNR, twin auxiliary roller, differential lock, horn
- Mirrors (2) electronically adjustable, heated external, plus lower parabolic mirror
- Phone holder, spring loaded
- Radio, FM or digital audio broadcast
- Seat belt options, multiple
- Seat packages; deluxe or premium
- Secondary display, front or rear view camera
- Soft touch keypad options, 8 or 16 button
- Storage, lockable box or lockable cooled box
- Sun visor, rear perforated
- USB ports (2), interior

OTHER

- Couplers, vertical (SSL), horizontal (HPL-V, HPL-A)
- Rotary sensors (snubbing, kickouts, parallel)
- High lift option

The following information applies to the machine at the time of final manufacture as configured for sale in the regions covered in this document. The content of this declaration is valid as of the date issued; however, content related to machine features and specifications are subject to change without notice. For additional information, please see the machine's Operation and Maintenance Manual.

For more information on sustainability in action and our progress, please visit <https://www.caterpillar.com/en/company/sustainability>.

Engine

- The Cat® C2.8 engine meets U.S. EPA Tier 4 Final and EU Stage V emission standards.
 - Cat diesel engines are required to use ULSD (ultra-low sulfur diesel fuel with 15 ppm of sulfur or less) or ULSD blended with the following lower-carbon intensity fuels up to:
 - ✓ 20% biodiesel FAME (fatty acid methyl ester)
 - ✓ 100% renewable diesel, HVO (hydrotreated vegetable oil) and GTL (gas-to-liquid) fuels
- Refer to guidelines for successful application. Please consult your Cat dealer or "Caterpillar Machine Fluids Recommendations" (SEBU6250) for details.

Air Conditioning System

- The air conditioning system on this machine contains the fluorinated greenhouse gas refrigerant R134a (Global Warming Potential = 1430). The system contains 0.83 kg (1.8 lb) of refrigerant which has a CO₂ equivalent of 1.216 metric tonnes (1.34 tons).

Paint

- Based on best available knowledge, the maximum allowable concentration, measured in parts per million (PPM), of the following heavy metals in paint are:
 - Barium < 0.01%
 - Cadmium < 0.01%
 - Chromium < 0.01%
 - Lead < 0.01%

Sound Performance

With cooling fan speed at maximum value:

Operator Sound Pressure Level (ISO 6396:2008) – 71 dB(A)*

Exterior Sound Power Level (ISO 6395:2008) – 101 dB(A)**

Exterior Sound Pressure Level (SAE J88:2013) – 99 dB(A)**

*Measurements were conducted with properly installed and maintained cab doors and windows closed.

**The labeled sound power level for the CE and UK marked configurations when measured according to the test procedure and conditions specified in 2000/14/EC and UK Noise Regulation 2001 No. 1701.

Oils and Fluids

- Caterpillar factory fills with ethylene glycol coolants. Cat Diesel Engine Antifreeze/Coolant (DEAC) and Cat Extended Life Coolant (ELC) can be recycled. Consult your Cat dealer for more information.
- Cat Bio HYDO Advanced is an EU Ecolabel approved biodegradable hydraulic oil.
- Additional fluids are likely to be present, please consult the Operations and Maintenance Manual or the Application and Installation guide for complete fluid recommendations and maintenance intervals.

Features and Technology

- The following features and technology may contribute to fuel savings and/or carbon reduction. Features may vary. Consult your Cat dealer for details.
 - Engine Idle Hibernate Mode
 - Engine Idle Shutdown
 - Advanced Electro Hydraulics
 - Efficient HVAC
 - Engine Demand Fan
 - Aftertreatment Low Idle Regeneration Strategy
 - Hydrostatic Transmission
 - Shift On the Go Transmission
 - Remote Flash and Remote Troubleshoot
 - Long Life Structural Durability

Recycling

- The materials included in machines are categorized as below with approximate weight percentage. Because of variations of product configurations, the following values in the table may vary.

Material Type	Weight Percentage
Steel	60.35%
Iron	16.88%
Nonferrous Metal	3.48%
Mixed Metal	1.05%
Mixed-Metal and Nonmetal	0.91%
Plastic	2.24%
Rubber	4.25%
Mixed Nonmetallic	0.04%
Fluid	3.35%
Other	3.72%
Uncategorized	3.71%
Total	100.00%

- A machine with higher recyclability rate will ensure more efficient usage of valuable natural resources and enhance End-of-Life value of the product. According to ISO 16714 (Earthmoving machinery – Recyclability and recoverability – Terminology and calculation method), recyclability rate is defined as percentage by mass (mass fraction in percent) of the new machine potentially able to be recycled, reused, or both.

All parts in the bill of material are first evaluated by component type based on a list of components defined by the ISO 16714 and Japan CEMA (Construction Equipment Manufacturers Association) standards. Remaining parts are further evaluated for recyclability based on material type.

Because of variations of product configurations, the following value in the table may vary.

Recyclability – 93%



Montgomery Office:

71 Clinton Street
Montgomery, NY 12549

(845) 457-7727

www.EngineeringPropertiesPC.com

Goshen Office:

262 Greenwich Ave, Suite B
Goshen, NY 10924

July 29, 2025

**VILLAGE OF WARWICK BOARD OF TRUSTEES
77 MAIN STREET
WARWICK, NY 10990**

ATTN: MAYOR MICHAEL NEWHARD

**RE: TRANSPORTATION PLANNING SERVICES – SAFE STREETS 4 ALL
TOWNWIDE TRANSPORTATION SAFETY ACTION PLAN
SLOW DOWN WARWICK DEMONSTRATION PROJECTS
W.O. #1800.122**

Dear Mayor Newhard and Village Trustees:

On April 21, 2025, the Village of Warwick issued a Request for Proposals (RFP) for Transportation Planning Services for two safety initiatives known as the Townwide Transportation Safety Action Plan and the Slow Down Warwick Demonstration Projects. Bids were opened at Village Hall on May 23, 2025, at 4 pm. The four consultants listed below submitted proposals:

1. Barton & Loguidice, D.P.C.
2. CHA Consulting, Inc.
3. Creighton Manning Engineering & Surveying, PLLC
4. Street Plans

The RFP stated that the selected consultant would be “qualified transportation planning firms or consultants to assist in the development and implementation of two critical transportation safety initiatives”. Additional items to be considered included demonstrated expertise in the following:

- Transportation planning and engineering, with a focus on safety and equity.
- Community engagement, including stakeholder facilitation and public outreach.
- Data collection and analysis related to transportation safety.
- Implementation of traffic calming and demonstration projects.
- Knowledge of federal, state, and local transportation policies and regulations.

Therefore, upon a detailed review and evaluation of each of the proposals submitted, it is our recommendation that the Village contract with **Creighton Manning Engineering & Surveying, PLLC (CME)** to provide the Transportation Planning Services for both initiatives for the following reasons:

- CME provided a well thought out and thorough project understand and approach that conforms with the RFP’s Scope of Work
- CME will be partnering with VHB and Transpo Group and is currently collaborating with both firms on two separate Safe Streets and Roads for All safety action plans
- CME will initiate both tasks concurrently so that each task will inform the other and streamline the project schedule


- CME's proposed Project Manager is based in White Plains, NY
- We received two positive recommendations praising the quality of CME's work product and professionalism. Both references have completed multiple projects with CME.

The proposed budget for each task is as follows:

Task 1: Townwide Transportation Safety Action Plan	\$180,060
Task 2: Slow Down Warwick Demonstration Projects	\$59,200
TOTAL FEE:	\$239,260

Finally, we find the proposal documents submitted by CME to be comprehensive. In addition, CME has completed a number of similar projects in New York State in recent years and is well recommended by past clients, including the City of Albany and NYSDOT. We therefore recommend that **Creighton Manning Engineering & Surveying, PLLC** be retained to provide the requested transportation planning services for the Village.

Sincerely,
Engineering & Surveying Properties, PC,
Village Engineers



Jane E. Samuelson, P.E.
Professional Engineer

Name of Municipality: Village of Warwick
Project Name: Transportation Planning Services (Safe Streets for All)
RFP Deadline Date: May 23, 2025

	Barton & Loguidice	CHA	Creighton Manning	Street Plans	Grant
Budget					Budgeted Consultant Fees
Task 1: Townwide Safety Action Plan	\$ 180,184.00	\$ 188,300.00	\$ 180,060.00	\$ 179,923.00	\$ 180,190.00
Task 2: Slow Down Warwick	-	\$ 72,950.00	\$ 59,200.00	\$ 59,958.00	\$ 59,200.00
	\$ 180,184	\$ 261,250.00	\$ 239,260.00	\$ 239,881.00	\$ 239,390.00
Project Manager Location	Albany, NY	Albany, NY	White Plains, NY	Brooklyn, NY	
Final Presentation	Virtual Presentation & Written Report	Written Report	Written Report & Public Presentation (w/ final public feedback included in report)	Written Report	
Notes:		Simulation videos of proposed roadways	2 subconsultants - Transpogroup (Transportation Engineering & Planning) & VHB** (Transportation safety planning) **creators of the NYSDOT CLEAR system	2 subconsultants - LaBella (Transportation Engineering & Planning) & Arterial** (Street Art Design Studio) **employee is a resident of Warwick	
Proposal Requirements					
1. Cover Letter	Provided	Provided	Provided	Provided	
2. Technical Approach (30%)	Provided	Provided	Provided	Provided	
Technical Approach Ranking	1	2	4	3.5	
Deviations from Grant Approach	None	None	All tasks included but Townwide SAP structured differently	Combines & restructures all Townwide SAP & Slow Down Warwick Tasks	
2a. Public Engagement Strategy (20%)					
Public Engagement Ranking	1	2	3.5	4	
# of Plan-wide Open Meetings	3	3	3 (1 virtual + 2 in-person)	3 (1 in-person + 2 virtual)	
# of Village-level Open Meetings	2	6	6 (3 virtual + 3 in-person)	3 in-person	
# of Key Focus Area Meetings	6 (3 virtual, 3 in-person)	6	6 - all virtual	up to 10 in-person	
Project Website	w/ B&L Social Pinpoint	yes - not specific	yes - not specific	w/ ArcGIS Online's StoryMaps	
Included Advertising Materials	design & printing of 100 Postcards & 24 yard signs	will create mailers & social media	will create flyers & website (Village to print and mail)	will create flyers & website (Village to print and mail)	
Demonstration Projects	Not Included	Installed by ???	Installed by DPW with oversight from consultant. 10 locations of 3 different demonstration approaches	Installed by consultant / Village staff & volunteers - overseen by consultant Recommends 3 more robust demo projects rather than 10 - but testing multiple traffic calming elements in each project for a total of 10	
3. Team Qualifications (15%)	6 people in total Associate In-Chrg=>PE 22yrs PM=>PE 16 yrs Planner=>AICP 12 yrs	11 People in total Principal In-Chrg=>PE 41 yrs PM=>PE 35 yrs Deputy PM=>PE 23 yrs	14 People in total Principal In-Chrg=>PE 40yrs PM=>AICP 16 yrs Planner => 11 yrs	13 People in total Principal In-Chrg=>CNU-A 20yrs PM=>Planner 9 yrs PE => 21 yrs	
Team Qualifications Ranking	1	4	3	2	
4. Project Experience (15%)	Provided	Provided	Provided	Provided	
Project Experience Ranking	1	2	4	4	
	5 Projects: 1. Warren County Bikeway Modernization & Connectivity Plan 2. Glens Falls Complete Streets & Safety Improvements 3. C.New Rochelle Quaker Ridge Rd Complete Street Design 4. City of New Rochelle Complete Streets Conceptual Design (w partners) 5. Saratoga Springs Greenbelt Henry St. Pilot Project	6 Projects: 1. Rehab E.Main St. C.Port Jervis 2. Delaware Ave Complete Streets T. Bethlehem 3. Kenwood Ave Traffic Calming T.Bethlehem 4. Lark St. Streetscape & Rehab City of Albany 5. Truck Bypass Study for NYSOGS & NYSDOC in T.Islip 6. Erie Blvd Complete Streets C.Schenectady	16 Projects: 1. Kiryas Joel SS4A Safety Action Plan (SAP) 2. LCLGRPB Comp SAPs 3. NYSDOT Pedestrian SAP 4. NYSDOT Pedestrian Focused Corridor Safety Study 5. NYSDOT Region 8 Hwy Safety Investigations 6. NYSDOT Strategic Highway Safetey Plan 7. Westchester Complete Streets Workshops 8. Rt 303/304 Safety & Sustainability Study 9. OC Transp Council 2050 Long-Range Transp Plan 10. Suffolk County Strategic Hwy SAP 11. White Plains SS4A Comp SAP 12. NYSDOT Active Transp Strategic Plan Update 13. Capital Region Local Road SAP 14.Hudson DRI Design & Implementation 15. Albany Bike & Pedestrian Master Plan 16. Garden City Temp Speed Limits	16 Projects: 1.Stamford Vison Zero Action Plan 2.Safe Streets Palmetto Bay AP 3. Belfast, ME Accessibility Plan 4. New Haven, CT Safe Routes 4 All 5. New Haven, CT Mobility Study 6. Jersey City Bike Master Plan + Design Guide 7. CT Quick Build Projects 8. Providence, RI Demo Projects 9 & 16.Hudson, NY Hudson Connects DRI Implementation Plan & Street Improvement 10. Chattanooga, TN Intersection Asphalt Art 11. New Haven, CT Quick-Build & Transpo Consulting 12. Jersey City On-Call Implement 13. ADK Glens Falls Transportation Council On-Call Plan & Engineering 14. C.Olean Complete Street 15. V.Horseheads Circulation Study	
5. Budget & Fee Proposal (10%)	Provided	Provided	Provided	Provided	
Budget & Fee Ranking	2	1	4	3.9	
6. Schedule (10%)	Provided	Provided	Provided	Provided	
Timeline	24 months	30 months (Tasks 1 & 2 run concurrently)	21 months (Tasks 1 & 2 run concurrently)	20 months (Tasks 1 & 2 run concurrently) **Recommend alternate implementation schedule for demo projects to accommodate NE weather	
Schedule Ranking	2	1	3.9	4	
Overall Ranking	1.20	2.10	3.74	3.54	
7. References	Provided	Provided	Provided	Provided	
	3	5 (2 NY, 3 National)	3	6	
	ADK Glens Falls Transportation Council, C.New Rochelle, T.Mamaroneck	T.Bethlehem, C.Schenectady, Indianapolis DPW, Florida DOT District 6, Georgia DOT	NYSDOT, LCLGRPB, C.Albany	C.Stamford, C.New Haven, C.Jersey City, V.Monroe, T.Cornwall, OC Transit	
Other Requirements					
Insurance Agreement (Appendix A)	Not Provided	Not Provided	Not Provided	Not Provided	
Proof of Insurance	Not Provided	Not Provided	Not Provided	Not Provided	
Non-Collusion Affidavit (Appendix B)	Not Provided	Not Provided	Not Provided	Not Provided	
Hold Harmless Agreement (Appendix B)	Not Provided	Not Provided	Not Provided	Not Provided	
Additional Notes:	Suggests providing booth at local events and festivals to solict public feedback				
Overall Impression:	Lots of buzz words and generalized experience	Detailed technical approach	Experience with SS4A Plans, Detailed technical approach with clear assumptions	Specializing in Urban Planning, Experience with SS4A Plans, Plan to implement 1st Demo Project before 1st Public Workshop	

Assumptions:
Consultant does NOT pay Village staff & interns
Demonstration Project's materials and labor are NOT included in budgeted prices

77 Main Street
Post Office Box 369
Warwick, NY 10990
www.villageofwarwick.org



(845) 986-2031
FAX (845) 986-6884
mayor@villageofwarwick.org
clerk@villageofwarwick.org

VILLAGE OF WARWICK
INCORPORATED 1887

Budget Modification Request


For Board of Trustees Approval - Meeting on 8/8/25

For approval to transfer available appropriations for the following Fiscal Year 2024-2025 budget account lines:

GENERAL FUND

FROM Account Code	Account Description	Budget Approp. Balance	Transfer Request	Reason	TO Account Code	Account Description	Budget Approp. Balance	Transfer Amount
A1620.4950	Village Hall - Special Projects	6,333.95	1,923.00	FINAL FYE 5/31/25	A1420.4000	Attorney - Contracted Services	(1,473.00)	1,473.00
				FINAL FYE 5/31/25	A1680.4900	Network/IT - Professional Services	(450.00)	450.00
TOTAL			1,923.00		TOTAL			1,923.00

Respectfully submitted,


Sadie Andryshak
Village Treasurer

Backup Documentation: Negative balance listing report

Report Date: 7/30/25

July 30, 2025
12:53 PM

VILLAGE OF WARWICK
2025 Expenditure Accounts with a Negative Balance Listing

Page No: 1

Range of Accounts: First to Last
Report Type: Sub Account Include Non-Budget Accounts: N

Account No	Description		Expended	Transfers	Reimbursed	Canceled	Balance	%Used
	Budgeted	Encumbered						
A-1420-4000	35,000.00	0.00	55,537.79	19,064.79	0.00	0.00	1,473.00-	102.72
Attorney - Contracted Services								
A-1680-4900	26,370.00	0.00	30,466.92	3,646.92	0.00	0.00	450.00-	101.50
Network/IT - Professional Services								
Fund Total	61,370.00	0.00	86,004.71	22,711.71	0.00	0.00	1,923.00-	102.29
Year Total	61,370.00	0.00	86,004.71	22,711.71	0.00	0.00	1,923.00-	102.29

8 Forester Avenue - Special Use Permit
Warwick LLC

VILLAGE BOARD Clerk's Record

ESCROW

Date	Vendor	Date of Service	Date Paid	Check#	Disbursements	Deposits	Account Balance
8/23/2023	Escrow Deposit- Warwick, LLC		8/23/2024	1355		2,000.00	2,000.00
10/25/2023	Certified Mailing for Notice of Public Hearing for SUP	10/20/2023			(134.46)		1,865.54
10/23/2023	Drake Loeb - Village Attorney - 8 Forester Ave. SUP Application Invoice # 66924	9/26/23-9/27/23			(520.00)		1,345.54
10/23/2023	Straus Newspapers Inc. - Notice of Public Hearing for SUP Invoice # 263f49f1	10/27/2023			(53.76)		1,291.78
10/26/2023	Escrow Deposit- Warwick, LLC	10/26/2023		1366		743.08	2,034.86
11/29/2023	Drake Loeb - Village Attorney - 8 Forester Ave. SUP Application Invoice # 67220	10/5/2023 - 10/13/2023			(280.00)		1,754.86
12/7/2023	Certified Mailing for Notice of Public Hearing for SUP	12/12/2023			(134.46)		1,620.40
12/6/2023	Straus Newspapers Inc. - Notice of Public Hearing for SUP Invoice #2ae91dba	12/15/2023			(44.99)		1,575.41
12/26/2023	Escrow Deposit- Warwick, LLC		12/27/2023	1373		424.59	2,000.00
12/27/2023	Drake Loeb - Village Attorney - 8 Forester Ave. SUP Application Invoice # 67427	11/3/23 - 11/30/23			(520.00)		1,480.00
2/1/2024	Drake Loeb - Village Attorney - 8 Forester Ave. SUP Appliation Invoice # 67777	12/1/23 - 12/28/23			(400.00)		1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
							1,080.00
	BALANCE				(2,037.67)	3,167.67	1,080.00

FW: Park Ave Elementary Road Closures for 2025-2026 School Year

From CathyS <dpw@villageofwarwick.org>
Date Mon 08/04/2025 8:11 AM
To Deputy Clerk <deputyclerk@villageofwarwick.org>

Cathy Schweizer
DPW Clerk
Village of Warwick
dpw@villageofwarwick.org
845-986-2031 Ext 6

From: Park Ave PTA <parkavepta@gmail.com>
Sent: Sunday, August 3, 2025 8:46 PM
To: CathyS <dpw@villageofwarwick.org>
Cc: Deputy Clerk <deputyclerk@villageofwarwick.org>; Park Ave PTA <Parkavepta@gmail.com>
Subject: Park Ave Elementary Road Closures for 2025-2026 School Year

Hello Cathy-

Hope this summer has been treating you well!

Our PTA board has been busy setting up some of the events for the students for the 2025-2026 school year and would like to request the following for village board approval:

****Permission to have Park Avenue Elementary close the roads between Galloway Road and Burt Street for the following events and dates:**

1. Thursday, May 14, 2026, from 4:00 p.m. to 7:00 p.m., with a rain date of Friday, May 15, 2026, for the benefit of the Park Avenue Elementary School's Student and Parent Warrior Dash Event.
2. Thursday, June 4, 2026, from 5:00 p.m. to 9:00 p.m., for the benefit of the Park Avenue Elementary School's Family Picnic School Event.
3. Friday, June 12, 2026, from 9:00 a.m. to 3:00 p.m. with a rain date of Monday, June 15, 2026, for the benefit of the Park Avenue Elementary School's Park -A- Palooza Sports Student/Teacher Sports Day.

Park Avenue Elementary PTA Board

Annalie Vallejo, President
Joanna Tower, Vice President

Mark Bellantone
16 Abbey Road
Warwick, NY 10990

July 25, 2025

To: Mayor Newhard & the Village Board,

I am writing to formally resign from my position as Brush Pile Attendant. My last working day will be July 27, 2025.

Mark Bellantone



RECEIVED
AUG 06 2025
VILLAGE OF WARWICK
CLERK'S OFFICE